

Application No. 10/828,593  
Page 2 of 13

### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (currently amended) A watercraft cover comprising:
  - a sheet of water repellant material;
  - a first pocket and a second pocket attached to the sheet;
  - at least one support structure having a first end and a second end, the first pocket receiving the first end and the second pocket receiving the second end of the at least one support structure;
  - a support structure sleeve located substantially between the first and second pockets, the at least one support structure extending from the first pocket to the second pocket through the sleeve;
  - at least one strap attachable to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet;
  - a dual retention system attached to the sheet, the dual retention system including a first relatively elastic cord and a second relatively inelastic cord; and
  - a cord sleeve located towards an outside perimeter of the sheet and sized to contain both the first relatively elastic cord and the second relatively inelastic cord;
  - wherein the dual retention system is useful for securely attaching the watercraft cover to the watercraft; and
  - wherein the at least one support structure is normally irreversibly integrated into or retained by the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet.
2. canceled

BEST AVAILABLE COPY

Application No. 10/828,593  
Page 3 of 13

3. (currently amended) ~~The A watercraft cover of claim 2, comprising:~~  
a sheet of water repellant material;  
a first pocket and a second pocket attached to the sheet;  
at least one support structure having a first end and a second end, the first pocket  
receiving the first end and the second pocket receiving the second end of the at least one support  
structure;  
a support structure sleeve located substantially between the first and second pockets, the  
at least one support structure extending from the first pocket to the second pocket through the  
sleeve; and  
at least one strap attachable to the sheet which is configured to bend the at least one  
support structure to form a shape which prevents water collection and deflects wind on the sheet;  
wherein the at least one support structure is normally irreversibly integrated into or  
retained by the sheet and further includes a notch at a substantially central location, the notch  
being useful for retaining a thread rigidly attached to the support structure sleeve attached to the  
sheet, the at least one support structure and the sheet being collapsible together for portability  
without separating such at least one support structure and sheet.
4. (currently amended) ~~The A watercraft cover of claim 2, comprising:~~  
a sheet of water repellant material;  
a first pocket and a second pocket attached to the sheet;  
at least one support structure having a first end and a second end, the first pocket  
receiving the first end and the second pocket receiving the second end of the at least one support  
structure;  
a support structure sleeve located substantially between the first and second pockets, the  
at least one support structure extending from the first pocket to the second pocket through the  
sleeve; and  
at least one strap attachable to the sheet which is configured to bend the at least one  
support structure to form a shape which prevents water collection and deflects wind on the sheet;

Application No. 10/828,593  
Page 4 of 13

wherein the at least one support structure is normally irreversibly integrated into or retained by the sheet and further includes a hole at a substantially central location, the hole being useful for receiving a rivet rigidly attached to the support structure sleeve attached to the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet.

5. (currently amended) ~~The A watercraft cover of claim 2,~~ comprising:

a sheet of water repellant material;

a first pocket and a second pocket attached to the sheet;

at least one support structure having a first end and a second end, the first pocket receiving the first end and the second pocket receiving the second end of the at least one support structure;

a support structure sleeve located substantially between the first and second pockets, the at least one support structure extending from the first pocket to the second pocket through the sleeve; and

at least one strap attachable to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet;

wherein the at least two pockets are adjustable; and

the at least one support structure is normally irreversibly integrated into or retained by the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet.

6. (currently amended) ~~The A watercraft cover of claim 2, further including~~ comprising:

a sheet of water repellant material;

a first pocket and a second pocket attached to the sheet;

at least one support structure having a first end and a second end, the first pocket receiving the first end and the second pocket receiving the second end of the at least one support structure;

Application No. 10/828,593  
Page 5 of 13

a support structure sleeve located substantially between the first and second pockets, the at least one support structure extending from the first pocket to the second pocket through the sleeve;

at least one strap attachable to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet, the at least one support structure normally irreversibly integrated into or retained by the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet; and

a vent, and a baffle and drain useful for preventing water from entering the watercraft through the vent.

7. (currently amended) The A watercraft cover of claim 2, further including comprising:

a sheet of water repellant material;

a first pocket and a second pocket attached to the sheet;

at least one support structure having a first end and a second end, the first pocket receiving the first end and the second pocket receiving the second end of the at least one support structure;

a support structure sleeve located substantially between the first and second pockets, the at least one support structure extending from the first pocket to the second pocket through the sleeve;

at least one strap attachable to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet, the at least one support structure normally irreversibly integrated into or retained by the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet; and

means for attaching an engine cover.

Application No. 10/828,593  
Page 6 of 13

8. (currently amended) ~~The A~~ watercraft cover of claim 2, comprising:  
a sheet of water repellant material;  
a first pocket and a second pocket attached to the sheet;  
at least one support structure having a first end and a second end, the first pocket  
receiving the first end and the second pocket receiving the second end of the at least one support  
structure;  
a support structure sleeve located substantially between the first and second pockets, the  
at least one support structure extending from the first pocket to the second pocket through the  
sleeve;  
at least one strap attachable to the sheet which is configured to bend the at least one  
support structure to form a shape which prevents water collection and deflects wind on the sheet,  
the at least one support structure normally irreversibly integrated into or retained by the sheet,  
the at least one support structure and the sheet being collapsible together for portability without  
separating such at least one support structure and sheet; and  
a dual retention system attached to the sheet, the dual retention system including a first  
relatively elastic cord and a second relatively inelastic cord, the system being useful for securely  
attaching the watercraft cover to the watercraft;  
wherein the first relatively elastic cord is comprised of two pieces, each having a first end  
and a second end, wherein the first end of each of the two pieces is rigidly attached towards the  
front of the sheet, and the second end of each piece has a locking mechanism to reversibly retain  
a desired tension.

9. (currently amended) ~~The A~~ watercraft cover of claim 2, comprising:  
a sheet of water repellant material;  
a first pocket and a second pocket attached to the sheet;  
at least one support structure having a first end and a second end, the first pocket  
receiving the first end and the second pocket receiving the second end of the at least one support  
structure;

Application No. 10/828,593  
Page 7 of 13

a support structure sleeve located substantially between the first and second pockets, the at least one support structure extending from the first pocket to the second pocket through the sleeve;

at least one strap attachable to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet, the at least one support structure normally irreversibly integrated into or retained by the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet; and

a dual retention system attached to the sheet, the dual retention system including a first relatively elastic cord and a second relatively inelastic cord, the system being useful for securely attaching the watercraft cover to the watercraft;

wherein the second relatively inelastic cord has a first end rigidly attached at a first location towards the rear of the sheet, and a second end attached at a second location towards the rear of the sheet.

10. (previously presented) The watercraft cover of claim 9, wherein the second relatively inelastic cord continues from the first location towards the rear of the sheet, around the front of the sheet, and ends at the second location towards the rear of the sheet.

11. (previously presented) The watercraft cover of claim 10, further including means for tightening the second relatively inelastic cord against the watercraft.

12. (previously presented) The watercraft cover of claim 11, further including a cord sleeve located towards the outside perimeter of the sheet, sized to contain both the first relatively elastic cord and the second relatively inelastic cord.

Application No. 10/828,593  
Page 8 of 13

13. (currently amended) ~~The A watercraft cover of claim 2, further including comprising:~~

a sheet of water repellant material;

a first pocket and a second pocket attached to the sheet;

at least one support structure having a first end and a second end, the first pocket receiving the first end and the second pocket receiving the second end of the at least one support structure;

a support structure sleeve located substantially between the first and second pockets, the at least one support structure extending from the first pocket to the second pocket through the sleeve;

at least one strap attachable to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet, the at least one support structure normally irreversibly integrated into or retained by the sheet, the at least one support structure and the sheet being collapsible together for portability without separating such at least one support structure and sheet;

a dual retention system attached to the sheet, the dual retention system including a first relatively elastic cord and a second relatively inelastic cord, the system being useful for securely attaching the watercraft cover to the watercraft; and

a cord sleeve located towards the outside perimeter of the sheet, sized to contain both the first relatively elastic cord and the second relatively inelastic cord.

14 - 19. canceled

20. (previously presented) A travel watercraft cover comprising:

a sheet of water repellant material;

at least two pockets attached to the sheet;

at least one support structure having a first end and a second end, the pockets receiving the first and second ends of the at least one support structure;

at least one strap attached to the sheet which is configured to bend the at least one support structure to form a shape which prevents water collection and deflects wind on the sheet;

Application No. 10/828,593  
Page 9 of 13

a vent; and

a dual retention system attached to the sheet, wherein the dual retention system includes a first relatively elastic cord and a second relatively inelastic cord, each cord generally following the outside perimeter of the sheet, the dual retention system useful for securely attaching the watercraft cover to a watercraft.

21. (original) The watercraft cover of claim 20, wherein the at least two pockets are adjustable.

22. (original) The watercraft cover of claim 20, wherein the sheet further includes a support structure sleeve located substantially between the at least two pockets useful for receiving the support structures.

23. (original) The watercraft cover of claim 20, further including a baffle and drain useful for preventing water from entering the watercraft through the vent.

24. (original) The watercraft cover of claim 20, further including at least one holding strap useful for stabilizing the watercraft cover while it is being attached to the watercraft.

25. (original) The watercraft cover of claim 20, further including a rear retention strap useful for securing the rear portion of the watercraft cover to the watercraft.

26. (original) The watercraft cover of claim 20, further including means for attaching an engine cover.

27. (original) The watercraft cover of claim 20, wherein the at least one strap is comprised of two pieces which are configured to reversibly connect to each other.

28. (original) The watercraft cover of claim 27, further including means for tightening the at least one strap, the tightening means located where the two pieces of the strap intersect.



Application No. 10/828,593  
Page 10 of 13

29. (original) The watercraft cover of claim 20, wherein the first relatively elastic cord is comprised of two pieces, each having a first end and a second end, wherein the first end of each of the two pieces is rigidly attached towards the front of the sheet, and the second end of each piece has a locking mechanism to reversibly retain a desired tension.

30. (original) The watercraft cover of claim 20, wherein the second relatively inelastic cord has a first end rigidly attached at a first location towards the rear of the sheet, and a second end attached at a second location towards the rear of the sheet.

31. (previously presented) The watercraft cover of claim 30, wherein the second relatively inelastic cord continues from the first location towards the rear of the sheet, around the front of the sheet, and ends at the second location towards the rear of the sheet.

32. (previously presented) The watercraft cover of claim 31, further including means for tightening the second relatively inelastic cord.

33. (previously presented) The watercraft cover of claim 32, further including a cord sleeve located towards the outside perimeter of the sheet, sized to contain both the first relatively elastic cord and the second relatively inelastic cord.

34. (previously presented) The watercraft cover of claim 31, further including cord loops periodically located towards the outside perimeter of the sheet, useful for retaining both the first relatively elastic cord and the second relatively inelastic cord.

35. (previously presented) The watercraft cover of claim 20, further including a cord sleeve located towards the outside perimeter of the sheet, sized to contain both the first relatively elastic cord and the second relatively inelastic cord.

Application No. 10/828,593  
Page 11 of 13

36. (previously presented) The watercraft cover of claim 20, further including cord loops periodically located towards the outside perimeter of the sheet, useful for retaining both the first relatively elastic cord and the second relatively inelastic cord.

37. - 47. canceled

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**